

	文件类型	技术文件	文件版本	V4.3.1	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;">Table of CRP Control Reference Value</p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 曾婷婷 日期: 2023.06.20		审核: 魏保立 日期: 2023.06.20		批准: 魏保立 日期: 2023.06.20	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V4.3.0	/	新建	曾婷婷	魏保立	2023.06.08
V4.3.1	/	增加 P101 机型靶值	曾婷婷	魏保立	2023.06.20
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

Table of CRP Control Reference Value

C-Reactive Protein Control

Code: DM3113

LOT 2023052601

🕒 20240525

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	2.8	2.0-3.6	±0.8
	Control 2	16.5	11.5-21.5	±5.0
	Control 3	37.7	26.4-49.0	±11.3
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	4.0	2.8-5.2	±1.2
	Control 2	17.3	12.1-22.5	±5.2
	Control 3	39.6	27.7-51.5	±11.9
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	3.9	2.7-5.1	±1.2
	Control 2	17.8	12.5-23.1	±5.3
	Control 3	43.8	30.7-56.9	±13.1
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	2.9	2.0-3.8	±0.9
	Control 2	15.5	10.8-20.2	±4.7
	Control 3	40.0	28.0-52.0	±12.0
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	3.3	2.3-4.3	±1.0
	Control 2	17.4	12.2-22.6	±5.2
	Control 3	44.2	30.9-57.5	±13.3
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	4.4	3.1-5.7	±1.3
	Control 2	19.0	13.3-24.7	±5.7
	Control 3	43.2	30.2-56.2	±13.0

D6-CRP, DH76CRP (Applicable to technical document version B2.0)	Control 1	3.8	2.7-4.9	± 1.1
	Control 2	17.7	12.4-23.0	± 5.3
	Control 3	41.5	29.0-54.0	± 12.5
D6-CRP, DH76CRP (Applicable to technical document version B2.2 and above)	Control 1	3.3	2.3-4.3	± 1.0
	Control 2	16.7	11.7-21.7	± 5.0
	Control 3	40.2	28.1-52.3	± 12.1
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A7.5 and below with heating)	Control 1	4.0	2.8-5.2	± 1.2
	Control 2	18.5	12.9-24.1	± 5.6
	Control 3	43.5	30.4-56.6	± 13.1
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A7.5 and below without heating)	Control 1	5.0	3.5-6.5	± 1.5
	Control 2	19.9	13.9-25.9	± 6.0
	Control 3	43.4	30.4-56.4	± 13.0
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	Control 1	4.1	2.9-5.3	± 1.2
	Control 2	18.0	12.6-23.4	± 5.4
	Control 3	41.4	29.0-53.8	± 12.4
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	Control 1	4.2	2.9-5.5	± 1.3
	Control 2	18.4	12.9-23.9	± 5.5
	Control 3	42.1	29.5-54.7	± 12.6
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.7 and above)	Control 1	4.3	3.0-5.6	± 1.3
	Control 2	18.8	13.2-24.4	± 5.6
	Control 3	42.8	30.0-55.6	± 12.8