
	文件类型	技术文件	文件版本	V4.4.0	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;">Table of CRP Control Reference Value</p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 曾婷婷 日期: 2023.08.08		审核: 魏保立 日期: 2023.08.08		批准: 魏保立 日期: 2023.08.08	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V4.4.0	/	新建	曾婷婷	魏保立	2023.08.08
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

Table of CRP Control Reference Value

C-Reactive Protein Control

Code: DM3113

LOT 2023080101

 20240731

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	2.2	1.5-2.9	±0.7
	Control 2	14.9	10.4-19.4	±4.5
	Control 3	37.4	26.2-48.6	±11.2
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	2.7	1.9-3.5	±0.8
	Control 2	16.4	11.5-21.3	±4.9
	Control 3	39.3	27.5-51.1	±11.8
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	3.5	2.4-4.6	±1.1
	Control 2	17.6	12.3-22.9	±5.3
	Control 3	39.6	27.7-51.5	±11.9
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	2.3	1.6-3.0	±0.7
	Control 2	15.9	11.1-20.7	±4.8
	Control 3	41.5	29.0-54.0	±12.5
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	3.1	2.2-4.0	±0.9
	Control 2	17.7	12.4-23.0	±5.3
	Control 3	44.8	31.4-58.2	±13.4
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.2	2.2-4.2	±1.0
	Control 2	16.5	11.6-21.5	±5.0
	Control 3	40.0	28.0-52.0	±12.0

D6-CRP, DH76CRP (Applicable to technical document version B2.0)	Control 1	3.0	2.1-3.9	± 0.9
	Control 2	16.0	11.2-20.8	± 4.8
	Control 3	43.8	30.7-56.9	± 13.1
D6-CRP, DH76CRP (Applicable to technical document version B2.2 and above)	Control 1	2.7	1.9-3.5	± 0.8
	Control 2	16.8	11.8-21.8	± 5.0
	Control 3	39.2	27.4-51.0	± 11.8
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A7.5 and below with heating)	Control 1	3.1	2.2-4.0	± 0.9
	Control 2	17.2	12.0-22.4	± 5.2
	Control 3	42.3	29.6-55.0	± 12.7
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A7.5 and below without heating)	Control 1	3.3	2.3-4.3	± 1.0
	Control 2	17.4	12.2-22.6	± 5.2
	Control 3	42.3	29.6-55.0	± 12.7
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	Control 1	3.1	2.2-4.0	± 0.9
	Control 2	17.8	12.5-23.1	± 5.3
	Control 3	43.9	30.7-57.1	± 13.2
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	Control 1	3.0	2.1-3.9	± 0.9
	Control 2	16.6	11.6-21.6	± 5.0
	Control 3	43.0	30.1-55.9	± 12.9
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.7 and above)	Control 1	3.4	2.4-4.4	± 1.0
	Control 2	18.8	13.2-24.4	± 5.6
	Control 3	44.5	31.2-57.9	± 13.4