

	文件类型	技术文件	文件版本	V5.2.1	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;">Table of CRP Control Reference Value</p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 秦俊飞 日期: 2024.03.05		审核: 曾婷婷 日期: 2024.03.05		批准: 田文飞 日期: 2024.03.05	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V5.2.0	/	新建	秦俊飞	田文飞	2024.02.27
V5.2.1	/	更改 1109 机型版本	秦俊飞	田文飞	2024.03.05
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

Table of CRP Control Reference Value

C-Reactive Protein Control

Code: DM3113

LOT 2024022001

🕒 20250219

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	2.4	1.7-3.1	±0.7
	Control 2	14.8	10.4-19.2	±4.4
	Control 3	40.6	28.4-52.8	±12.2
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	3.5	2.4-4.6	±1.1
	Control 2	17.0	11.9-22.1	±5.1
	Control 3	38.7	27.1-50.3	±11.6
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	3.8	2.7-4.9	±1.1
	Control 2	17.2	12.0-22.4	±5.2
	Control 3	38.7	27.1-50.3	±11.6
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	3.0	2.1-3.9	±0.9
	Control 2	15.3	10.7-19.9	±4.6
	Control 3	37.7	26.4-49.0	±11.3
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	3.5	2.4-4.6	±1.1
	Control 2	17.2	12.0-22.4	±5.2
	Control 3	41.7	29.2-54.2	±12.5
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.7	2.6-4.8	±1.1
	Control 2	17.2	12.0-22.4	±5.2
	Control 3	42.7	29.9-55.5	±12.8

D6-CRP, DH76CRP (Applicable to technical document version B2.0)	Control 1	3.5	2.4-4.6	± 1.1
	Control 2	16.9	11.8-22.0	± 5.1
	Control 3	43.8	30.7-56.9	± 13.1
D6-CRP, DH76CRP (Applicable to technical document version B2.2 and above)	Control 1	3.8	2.7-4.9	± 1.1
	Control 2	17.6	12.3-22.9	± 5.3
	Control 3	43.1	30.2-56.0	± 12.9
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below with heating)	Control 1	3.6	2.5-4.7	± 1.1
	Control 2	17.5	12.2-22.8	± 5.3
	Control 3	40.9	28.6-53.2	± 12.3
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below without heating)	Control 1	3.8	2.7-4.9	± 1.1
	Control 2	17.9	12.5-23.3	± 5.4
	Control 3	43.0	30.1-55.9	± 12.9
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	Control 1	4.1	2.9-5.3	± 1.2
	Control 2	18.1	12.7-23.5	± 5.4
	Control 3	44.8	31.4-58.2	± 13.4
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	Control 1	3.6	2.5-4.7	± 1.1
	Control 2	17.1	12.0-22.2	± 5.1
	Control 3	42.2	29.5-54.9	± 12.7
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.0 and above)	Control 1	4.0	2.8-5.2	± 1.2
	Control 2	19.4	13.6-25.2	± 5.8
	Control 3	42.8	30.0-55.6	± 12.8