
	文件类型	技术文件	文件版本	V5.3.0	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;">Table of CRP Control Reference Value</p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 秦俊飞 日期: 2024.04.12		审核: 曾婷婷 日期: 2024.04.12		批准: 田文飞 日期: 2024.04.12	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V5.3.0	/	新建	秦俊飞	田文飞	2024.04.12
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

Table of CRP Control Reference Value

C-Reactive Protein Control

Code: DM3113

LOT 2024032101

 20250320

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	3.1	2.4-3.8	±0.7
	Control 2	14.3	9.9-18.7	±4.4
	Control 3	33.6	21.4-45.8	±12.2
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	3.3	2.2-4.4	±1.1
	Control 2	14.6	9.5-19.7	±5.1
	Control 3	39.8	28.2-51.4	±11.6
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	4.0	2.9-5.1	±1.1
	Control 2	17.2	12-22.4	±5.2
	Control 3	41.3	29.7-52.9	±11.6
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	2.5	1.6-3.4	±0.9
	Control 2	13.1	8.5-17.7	±4.6
	Control 3	38.2	26.9-49.5	±11.3
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	2.9	1.8-4.0	±1.1
	Control 2	15.3	10.1-20.5	±5.2
	Control 3	42.0	29.5-54.5	±12.5
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.2	2.1-4.3	±1.1
	Control 2	15.3	10.1-20.5	±5.2
	Control 3	40.7	27.9-53.5	±12.8

D6-CRP, DH76CRP (Applicable to technical document version B2.0)	Control 1	2.8	1.7-3.9	± 1.1
	Control 2	12.6	7.5-17.7	± 5.1
	Control 3	37.6	24.5-50.7	± 13.1
D6-CRP, DH76CRP (Applicable to technical document version B2.2 and above)	Control 1	3.2	2.1-4.3	± 1.1
	Control 2	15.1	9.8-20.4	± 5.3
	Control 3	41.1	28.2-54.0	± 12.9
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below with heating)	Control 1	3.3	2.2-4.4	± 1.1
	Control 2	15.6	10.3-20.9	± 5.3
	Control 3	41.2	28.9-53.5	± 12.3
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below without heating)	Control 1	3.2	2.1-4.3	± 1.1
	Control 2	14.4	9.0-19.8	± 5.4
	Control 3	43.5	30.6-56.4	± 12.9
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	Control 1	3.6	2.4-4.8	± 1.2
	Control 2	15.5	10.1-20.9	± 5.4
	Control 3	43.8	30.4-57.2	± 13.4
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	Control 1	3.4	2.3-4.5	± 1.1
	Control 2	14.6	9.5-19.7	± 5.1
	Control 3	41.3	28.6-54	± 12.7
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.0 and above)	Control 1	3.5	2.3-4.7	± 1.2
	Control 2	14.1	8.3-19.9	± 5.8
	Control 3	38.2	25.4-51.0	± 12.8