

	文件类型	技术文件	文件版本	V5.4.0	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;"><b>Table of CRP Control Reference Value</b></p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 秦俊飞 日期: 2024.06.17		审核: 曾婷婷 日期: 2024.06.17		批准: 田文飞 日期: 2024.06.17	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V5.4.0	/	新建	秦俊飞	田文飞	2024.06.17
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

## Table of CRP Control Reference Value

### C-Reactive Protein Control

Code: **DM3113**

LOT 2024052801

20250527

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	2.7	1.9-3.5	±0.8
	Control 2	13.6	9.5-17.7	±4.1
	Control 3	34.3	24.0-44.6	±10.3
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	3.4	2.4-4.4	±1.0
	Control 2	12.9	9.0-16.8	±3.9
	Control 3	39.2	27.4-51.0	±11.8
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	3.6	2.5-4.7	±1.1
	Control 2	15.4	10.8-20.0	±4.6
	Control 3	39.6	27.7-51.5	±11.9
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	3.0	2.1-3.9	±0.9
	Control 2	13.9	9.7-18.1	±4.2
	Control 3	36.2	25.3-47.1	±10.9
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	2.8	2.0-3.6	±0.8
	Control 2	13.9	9.7-18.1	±4.2
	Control 3	38.4	26.9-49.9	±11.5
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.2	2.2-4.2	±0.9
	Control 2	14.0	9.8-18.2	±4.2
	Control 3	36.7	25.7-47.7	±11.0
D6-CRP, DH76CRP	Control 1	3.4	2.4-4.4	±1.0

(Applicable to technical document version B2.0)	<b>Control 2</b>	14.9	10.4-19.4	±4.5
	<b>Control 3</b>	38.6	27.0-50.2	±11.6
D6-CRP, DH76CRP  (Applicable to technical document version B2.2 and above)	<b>Control 1</b>	3.7	2.6-4.8	±1.1
	<b>Control 2</b>	14.6	10.2-19.0	±4.4
	<b>Control 3</b>	37.9	26.5-49.3	±11.4
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP  (Applicable to technical document versions A8.1 and below with heating)	<b>Control 1</b>	3.7	2.6-4.8	±1.1
	<b>Control 2</b>	14.6	10.2-19.0	±4.4
	<b>Control 3</b>	37.6	26.3-48.9	±11.3
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP  (Applicable to technical document versions A8.1 and below without heating)	<b>Control 1</b>	3.4	2.4-4.4	±1.0
	<b>Control 2</b>	14.7	10.3-19.1	±4.4
	<b>Control 3</b>	39.3	27.5-51.1	±11.8
DM79X, DM78X, DM72X  (Applicable to technical document version A1.0 and above)	<b>Control 1</b>	3.5	2.4-4.5	±1.1
	<b>Control 2</b>	16.3	11.4-21.2	±4.9
	<b>Control 3</b>	42.4	29.7-55.1	±12.7
DH36X, DH33X, DH31X  (Applicable to technical document versions A1.0 and above)	<b>Control 1</b>	3.5	2.5-4.6	±1.1
	<b>Control 2</b>	14.5	10.1-18.9	±4.4
	<b>Control 3</b>	37.2	26.0-48.4	±11.2
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17  (Applicable to technical document versions A1.0 and above)	<b>Control 1</b>	3.6	2.5-4.7	±1.1
	<b>Control 2</b>	16.0	11.2-20.8	±4.8
	<b>Control 3</b>	38.2	26.7-49.7	±11.5
DH-800 CRP series DH-800 CS series  ( Technical File Version A1.3 or higher)	<b>Control 1</b>	3.78	2.65-4.91	±1.13
	<b>Control 2</b>	15.02	10.52-19.53	±4.51
	<b>Control 3</b>	34.00	23.8-44.19	±10.20