

	文件类型	技术文件	文件版本	V5.3.2	
	项目代号	DM3113	页 码	第0 页共2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;"><b>Table of CRP Control Reference Value</b></p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 刘嘉 日期: 2024.05.08		审核: 刘金盈 日期: 2024.05.08		批准: 郑剑通 日期: 2024.05.08	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V5.3.0	/	新建	秦俊飞	田文飞	2024.04.12
V5.3.1	/	增加1117仪器参考值	刘嘉	郑剑通	2024.05.08
V5.3.2	/	修改偏差限	秦俊飞	田文飞	2024.06.20
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质检				
由试剂研发					

## Table of CRP Control Reference Value

### C-Reactive Protein Control

**Code: DM3113**

LOT 2024032101

🕒 20250320

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.9)	Control 1	3.1	2.2-4.0	±0.9
	Control 2	14.3	10.0-18.6	±4.3
	Control 3	33.6	23.5-43.7	±10.1
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	3.3	2.3-4.3	±1.0
	Control 2	14.6	10.2-19.0	±4.4
	Control 3	39.8	27.9-51.7	±11.9
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	4.0	2.8-5.2	±1.2
	Control 2	17.2	12.0-22.4	±5.2
	Control 3	41.3	28.9-53.7	±12.4
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	2.5	1.8-3.3	±0.8
	Control 2	13.1	9.2-17.0	±3.9
	Control 3	38.2	26.7-49.7	±11.5
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	2.9	2.0-3.8	±0.9
	Control 2	15.3	10.7-19.9	±4.6
	Control 3	42	29.4-54.6	±12.6
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.2	2.2-4.2	±1.0
	Control 2	15.3	10.7-19.9	±4.6
	Control 3	40.7	28.5-52.9	±12.2

D6-CRP, DH76CRP (Applicable to technical document version B2.0)	<b>Control 1</b>	2.8	2.0-3.6	±0.8
	<b>Control 2</b>	12.6	8.8-16.4	±3.8
	<b>Control 3</b>	37.6	26.3-48.9	±11.3
D6-CRP, DH76CRP (Applicable to technical document version B2.2 and above)	<b>Control 1</b>	3.2	2.2-4.2	±1.0
	<b>Control 2</b>	15.1	10.6-19.6	±4.5
	<b>Control 3</b>	41.1	28.8-53.4	±12.3
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below with heating)	<b>Control 1</b>	3.3	2.3-4.3	±1.0
	<b>Control 2</b>	15.6	10.9-20.3	±4.7
	<b>Control 3</b>	41.2	28.8-53.6	±12.4
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below without heating)	<b>Control 1</b>	3.2	2.2-4.2	±1.0
	<b>Control 2</b>	14.4	10.1-18.7	±4.3
	<b>Control 3</b>	43.5	30.5-56.6	±13.1
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	<b>Control 1</b>	3.6	2.5-4.7	±1.1
	<b>Control 2</b>	15.5	10.9-20.2	±4.7
	<b>Control 3</b>	43.8	30.7-56.9	±13.1
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	<b>Control 1</b>	3.4	2.4-4.4	±1.0
	<b>Control 2</b>	14.6	10.2-19.0	±4.4
	<b>Control 3</b>	41.3	28.9-53.7	±12.4
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.0 and above)	<b>Control 1</b>	3.5	2.5-4.6	±1.1
	<b>Control 2</b>	14.1	9.9-18.3	±4.2
	<b>Control 3</b>	38.2	26.7-49.7	±11.5
DH-800 CRP series DH-800 CS series (Technical File Version A1.3 or higher)	<b>Control 1</b>	2.86	2.00-3.72	±0.86
	<b>Control 2</b>	12.36	8.66-16.07	±3.71
	<b>Control 3</b>	34.88	24.41-45.34	±10.46