

	文件类型	技术文件	文件版本	V5.6.0	
	项目代号	DM3113	页 码	第 0 页 共 2 页	
	文件编号	GL DM-56-08-en			
文件名称: <p style="text-align: center;">Table of CRP Control Reference Value</p>					
适用范围: <p style="text-align: center;">DM3113 项目</p>					
编制: 秦俊飞 日期: 2024.09.26		审核: 曾婷婷 日期: 2024.09.26		批准: 田文飞 日期: 2024.09.26	
修 订 记 录					
版本	TCN/ECR/P CN 编号	修订内容概要	修改人	批准人	批准日期
V5.6.0	/	新建	秦俊飞	田文飞	2024.09.26
发至:	<input type="checkbox"/> 总经办 <input type="checkbox"/> 质量部 <input type="checkbox"/> 财务部 <input type="checkbox"/> 营销部 <input type="checkbox"/> 客服 <input type="checkbox"/> 计划 <input type="checkbox"/> 采购 <input type="checkbox"/> 工程 <input type="checkbox"/> 仓库 <input type="checkbox"/> 设备研发 <input type="checkbox"/> 试剂研发 <input type="checkbox"/> 物料质量 <input type="checkbox"/> 设备生产 <input type="checkbox"/> 试剂生产 <input type="checkbox"/> 试剂质检 <input type="checkbox"/> 设备质 检				
由试剂研发					

Table of CRP Control Reference Value

C-Reactive Protein Control

Code: DM3113

LOT 2024083001

🕒 20250829

Model	Level	Reference Value (mg/L)	Reference Range (mg/L)	Deviation Range (mg/L)
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above with heating)	Control 1	3.6	2.5-4.7	±1.1
	Control 2	15.5	10.8-20.2	±4.7
	Control 3	39.6	27.7-51.5	±11.9
DH51CRP, DH53CRP, DH56CRP D1-CRP, D3-CRP, D5-CRP (Applicable to technical document version A11.10 and above without heating)	Control 1	3.6	2.5-4.7	±1.1
	Control 2	15.6	10.9-20.3	±4.7
	Control 3	40.5	28.4-52.7	±12.2
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A5.11 and below)	Control 1	2.5	1.7-3.3	±0.8
	Control 2	13.5	9.4-17.6	±4.1
	Control 3	34.3	24.0-44.6	±10.3
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above with heating)	Control 1	3.0	2.1-3.9	±0.9
	Control 2	17.6	12.3-22.9	±5.3
	Control 3	43.7	30.6-56.8	±13.1
DH71CRP, DH73CRP D2-CRP, D7-CRP (Applicable to technical document versions A6.0 and above without heating)	Control 1	3.5	2.5-4.6	±1.1
	Control 2	15.6	10.9-20.3	±4.7
	Control 3	36.7	25.7-47.7	±11.0
D6-CRP, DH76CRP (Applicable to technical document version B2.0)	Control 1	2.7	1.9-3.5	±0.8
	Control 2	14.5	10.1-18.9	±4.4
	Control 3	39.9	27.9-51.9	±12.0
D6-CRP, DH76CRP	Control 1	3.0	2.1-3.9	±0.9

(Applicable to technical document version B2.2 and above)	Control 2	15.5	10.8-20.2	±4.7
	Control 3	39.2	27.4-51.0	±11.8
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below with heating)	Control 1	3.6	2.5-4.7	±1.1
	Control 2	15.6	10.9-20.3	±4.7
	Control 3	38.1	26.7-49.5	±11.4
DF1-CRP, DF3-CRP, DF5-CRP DF50CRP, DF52CRP, DF53CRP (Applicable to technical document versions A8.1 and below without heating)	Control 1	3.8	2.7-4.9	±1.1
	Control 2	15.5	10.8-20.2	±4.7
	Control 3	37.8	26.5-49.1	±11.3
DM79X, DM78X, DM72X (Applicable to technical document version A1.0 and above)	Control 1	3.1	2.2-4.0	±0.9
	Control 2	15.8	11.1-20.5	±4.7
	Control 3	42.9	30.0-55.8	±12.9
DH36X, DH33X, DH31X (Applicable to technical document versions A1.0 and above)	Control 1	2.9	2.0-3.8	±0.9
	Control 2	14.2	9.9-18.5	±4.3
	Control 3	37.0	25.9-48.1	±11.1
DP-H10, DP-H12, DP-H13, DP-H15, DP-H16, DP-H17 (Applicable to technical document versions A1.0 and above)	Control 1	4.0	2.8-5.2	±1.2
	Control 2	17.7	12.4-23.0	±5.3
	Control 3	40.3	28.2-52.4	±12.1
DH-800 CRP series DH-800 CS series (Technical File Version A1.3 or higher)	Control 1	2.81	1.83-3.79	±0.98
	Control 2	16.00	11.2-20.8	±4.80
	Control 3	37.36	26.15-48.57	±11.21